



(/)

[ABOUT US \(ABOUT.PHP\)](#)[PRODUCTS](#)[CERTIFICATIONS \(/CERTIFICATIONS.PHP\)](#)[TRADE SHOWS \(/TRADE-SHOWS.PHP\)](#)[CONTACT \(/CONTACT.PHP\)](#)

Joints


[Home](#) / [Joints](#) / [Straight Joints upto 36 kV For XLPE/EPR Insulating Cable](#)

Heat Shrinkable Straight Joints Upto 36 kV for XLPE/EPR Insulating Cable

XSS/1115/2236

DENSONS Heat Shrinkable Straight Joints Upto 36 kV for XLPE/EPR Insulating Cable

[Enquire Now \(/enquire-now.php?pcode=XSS/1115/2236\)](#)



In conformance with VDE 0278 & IS:13573

Heat Shrink Joints

Heat Shrink Straight Joints For Low Tension 1.1kV PVC/XLPE/PILC ([heat-shrinkable-straight-joint-pvc-xlpe-pilc.php](#))

Straight Joints upto 36 kV For XLPE/EPR Insulating Cable ([heat-shrinkable-straight-joint-xlpe-epr.php](#))

Heat Shrink Transition Joint upto 36 KV (For XLPE/EPR Mind Cable) ([heat-shrinkable-transition-joint-36kv-xlpe-pilc.php](#))

Heat Shrink Straight Joints upto 36 kV For PILC Cable ([heat-shrinkable-transition-joint-36kv-pilc.php](#))

Heat Shrink Straight Through Joint upto 36 kV (for 1 Core XLPE/EPR Insulated Cable) ([heat-shrink-straight-through-joint-upto-36-kv-](#)

for-1-core-xlpe-epr-insulated-cable.php)

Specifications

TEST	TYPE XSS - 1115 (15kv)	TYPE XSS - 2236 (36kv)
A.C. Voltage withstand	35 kV / 1 min .	75 kV / 1 min .
D.C. Voltage withstand	48 kV / 30 min.	144 kV / 30 min.
Impulse Voltage withstand (10+VE & 10-VE Shots)	75 kV	170 kV
Corona Extinction Voltage	More than 13 kV	More than 38 kV

Heat Shrinkable Straight Joint upto 36 kV (For Aerial Bunched Cable) (heat-shrinkable-straight-joint-36kv.php)

Heat Shrinkable Straight Through Joints for 72.5 kV (For Single Core XLPE Cable) (heat-shrinkable-straight-through-joints-xlpe.php)

Ordering Information

CABLE SIZE (Sq. mm)	FOR 33 kV (Kit Code)	
3 x 35 - 70	XSS - 31	Enquiry Now (/enquire-now.php? pcode=XSS+-+31)
3 x 95 - 150	XSS - 32	Enquiry Now (/enquire-now.php? pcode=XSS+-+32)
3 x 185 - 300	XSS - 33	Enquiry Now (/enquire-now.php? pcode=XSS+-+33)
3 x 400	XSS - 34	Enquiry Now (/enquire-now.php? pcode=XSS+-+34)
CABLE SIZE (Sq. mm)	FOR 22 kV (Kit Code)	
3 x 25 - 50	XSS - 21	Enquiry Now (/enquire-now.php? pcode=XSS+-+21)
3 x 70 - 95	XSS - 22	Enquiry Now (/enquire-now.php? pcode=XSS+-+22)
3 x 120 - 150	XSS - 23	

3 x 185 - 240	XSS - 24	Enquiry Now (/enquire-now.php? pcode=XSS+-+23)
3 x 300 - 400	XSS - 25	Enquiry Now (/enquire-now.php? pcode=XSS+-+24)

CABLE SIZE (Sq. mm)	FOR 11 kV (Kit Code)	
3 x 16 - 50	XSS - 11	Enquiry Now (/enquire-now.php? pcode=XSS+-+11)
3 x 70 - 95	XSS - 12	Enquiry Now (/enquire-now.php? pcode=XSS+-+12)
3 x 120 - 185	XSS - 13	Enquiry Now (/enquire-now.php? pcode=XSS+-+13)
3 x 240 - 300	XSS - 14	Enquiry Now (/enquire-now.php? pcode=XSS+-+14)
3 x 400 - 500	XSS - 15	Enquiry Now (/enquire-now.php? pcode=XSS+-+15)